




# **Mesky Catalogue**

## **Hot Sales Hair Tools**



# 目录 : CONTENTS



1

Air Straightener

2

Hot Air Brush

3

Hair Dryer

4

Hair Straightener

5

Hot Curler

6

Hair Straightener Brush





# 01

**AIR STRAIGHTENER**

## 1. MK-559A、MK-559C

**MK-559A**



**MK-559C**




## Specification:


1. BLDC motor with 110000 RPM high speed.
2. Support wet to dry straightening with air.
3. Intelligent mode: Wet and Dry hair mode, Cool Button
4. 1400-1600W Power.
5. Hair dryer and hair straightener 2 in 1 design
6. Power cord: 360° Anti-free, 2.5M
7. Rated voltage: 220~240VAC 50/60HZ
8. Wind speed: 11.2m/S
9. Temperature: 80°C~120°C~140°C
10. Negative Ion function
11. LED screen
12. CE and ROHS Certificate Standard

## 2. MK-559E 、 MK-559F

**MK-559E**



**MK-559F**



## Specification:

1. BLDC motor with 110000 RPM high speed.
2. Support wet to dry straightening with air.
3. Intelligent mode: Wet and Dry hair mode, Cool Button
4. 1400-1600W Power.
5. Hair dryer and hair straightener 2 in 1 design
6. Power cord: 360° Anti-free, 2.5M
7. Rated voltage: 220~240VAC 50/60HZ
8. Wind speed: 11.2m/S
9. Temperature: 80°C~120°C~140°C
10. Negative Ion function
11. LED screen
12. CE and ROHS Certificate Standard

### 3. MK-559F



## Specification:


1. BLDC motor with 110000 RPM high speed.
2. Support wet to dry straightening with air.
3. Intelligent mode: Wet and Dry hair mode, Cool Button
4. 1600W Power.
5. Hair dryer and hair straightener 2 in 1 design
6. Power cord: 360° Anti-free, 2.5M
7. Rated voltage: 220~240VAC 50/60HZ
8. Wind speed: 11.2m/S
9. Temperature: 80°C~120°C~140°C
10. Negative Ion:  $\geq 300$  million pcs/cm<sup>3</sup>
11. Dyson screen
12. CE, ROHS and FCC Certificate Standard



**02**

**HAIR DRYER BRUSH**

# 1. MK-326



## Specification:

1. 4 in 1 one step hair dryer brush

1. Bristle: Flexible and tangle-free nylon bristles

2. Power: 220V 1200W

3. Temperature Settings: Low-Mid-high

4. Motor: DC motor

5. Power cord: 360° Anti-free, 2.5M

## 2. MK-327B



## Specification:

6 in 1 one step hair dryer brush

1. Matty or glossy oil

2. Bristle: Flexible and tangle-free nylon bristles

3. Material: PC

4. Motor: BLDC motor

5. Power: 1200W

6. Temperature Settings: Low-Mid-high

7. Voltage: 120V or 220V, 50/60Hz

8. Power cord: 360° swivel cord, 2.5m

9. Attachment: Roller brush, Smooth brush, Dryer, Airwrap Styer, Paddle Brush, Volumizer Brush

### 3. MK-327E

MK-327E

# 6 IN 1

LCD SMART AIRWRAP STYLER

LCD



## Specification:

6 in 1 one step hair dryer brush

1. Matty or glossy oil

2. Material: PC

3. Display: LED screen

4. Motor: BLDC motor

5. Power: 1200W

6. Temperature Settings: Low-Mid-high

7. Voltage: 120V or 220V,50/60Hz

8. Power cord: 360° swivel cord, 2.5m

9. Attachment: Roller brush, Smooth brush, Dryer, Airwrap Styer, Paddle Brush, Volumizer Brush

## 4. MK-327F

MK-327F

**6 IN 1**  
LCD FLEXSTYLER



## Specification:

6 in 1 one step hair dryer brush

1. Matty or glossy oil
2. Material: PC
3. Display: LED screen
4. Motor: BLDC motor
5. Power: 1200W
6. Temperature Settings: Low-Mid-high
7. Voltage: 120V or 220V,50/60Hz
8. Power cord: 360° swivel cord, 2.5m
9. Foldable handle
10. Attachment: Roller brush, Smooth brush, Dryer, Airwrap Styer, Paddle Brush, Volumizer Brush

## 5. MK-565



## Specification:

1. BLDC motor with 110000 rpm high speed .
2. 7 heads: 1 dryer head+1 smooth brush+1 straightener brush+1 volimizer+1 styling+1brush+ 2 rollers.
3. Power: 1400W
4. Foldable handle
5. With Ionic Function: 200 million ions/cm<sup>3</sup>
6. 3 Speed & Heat Settings, Cool shot button
7. Temperature setting: 30°C-60°C-90°C-120°C
8. Power cord: 2 M
9. Speed/M.S: 19.4 m/s
- 10.Noisy level: ≪ 80dB
11. Carton weight: 15.5 KG
12. CE and ROHS certification

## 6. MK-552



## Specification:

5 in 1 Brushless Hair Dryer

1. 110000RPM High Speed Motor
2. 3 Temperature setting:50°C-80°C-100°C.
3. High power:1400-1600W
4. Country Plug
5. Negative Ionic function
6. Wind speed:Low, medium, high
7. Wind pressure (10cm/g): 50/84/128
8. Wind speed: 20m/s
9. Noise (dB): 79.4/83.3/87.4
10. Material: metal
11. Tens of millions of negative ions

## 7. MK-6153



## Specification:

1. 4 in 1 one step hair dryer brush
1. Bristle: Flexible and tangle-free nylon bristles
2. Power: 220V 1200W
3. Temperature Settings: Low-Mid-high
4. Motor: DC motor
5. Power cord: 360° Anti-free, 2.5M

## 8. MK-562



## Specification:

1. Motor: BLDC motor
2. Feature: Ionic
3. Power : 1200w
4. Motor speed: 110,000 rpm
5. Speed settings : 3
6. Speed Settings: 3 speed and heat settings
7. Single package size: 36.5X21X17 cm
8. Single gross weight: 0.750 kg

# 9. New mole- under developing



## 10. MK-2202

## Specification:

### Interchangeable Hot Heated Roller Brush

1. Painting: Matte or glossy
2. Material: PC
3. Display: LED Light
4. Product size: 297mm(L) × 46mm(W) × 40MM(H)
5. Plate: Ceramic plate
6. Voltage: 110~240V, 50/60Hz
7. Power: 65W
8. Temperature: 140~200 degrees
9. Heater: PTC heater
10. Power cord: 360° swivel cord, 2.5m
11. Plug: EU plug
12. Function: Cool Air Function
13. CE certificate available
14. Weight: 220g





**03**

**HAIR DRYER**

# 1. MK-6118B



## Specification:

1. LED 110000RPM High Speed Motor
2. 3 Speed and 2 Temperature setting:60-90-120°C
3. High power:1600W
4. Attachment: 2 nozzles ,1 diffuser
5. Foldable handle
6. Material: Ceramic + ABS
7. Negative Ion:  $\geq 200 \times 10^4$  ions/cm<sup>3</sup>
8. Wind speed: 20m/s
9. Noise (dB): 73/75/85
10. Cold shot button
11. Timed shutdown function: the machine will automatically shut down after 60 minutes of continuous use.
12. Automatic cleaning function: In standby mode, press and hold the cold air button for 2S to enter the cleaning function;

## 2. MK-6136



## Specification:

1. Temperature control type: intelligent constant temperature
2. Motor speed: Brushless motor with 110000rpm
3. Maximum power: 1600W
4. Rated voltage: 220V or 110V; 50HZ/60HZ
5. Temperature setting: 4 Grade , Natural- 50°C- 70°C- 90°C
6. Wind Speed: 3 Grade, Low- Mid- High
7. Hair care type: constant temperature hair care, negative ion
8. Negative ions: 200 million ions/m<sup>3</sup>
9. 10. Material: Ceramic+ABS
11. Accessories: smooth nozzle, diffuser nozzle
12. High Speed: 23m/s
13. Low Noise: 72DB
14. power cord: 1.8 meters long

### 3. MK-6157

Redefine hair dryer



## Specification:

1. 110000 RPM high speed motor
2. BLDC Motor
3. High power: 1400-1600W
4. Speed Settings:3 (Low, Middle and High)
5. Wind speed: 20m/s
6. Temperature Setting: 4 gear (Normal-60°C-80°C-100°C)
7. Nozzle Type:1 Concentrator & 3 Diffusers
8. Negative Ionic:  $\geq 300$  million pcs/cm<sup>3</sup>
9. Material:PC+ABS hair dryers
10. Noise (dB): 80dB
11. Cold air function
- 12.Total weight : 1.5KG including normal package
13. Power cord: 1.8m (could be customized)

## 4. MK-6141



## Specification:

### High speed Hair Dryer

1. Ratings: AC 220-240V,50Hz, 1600W
2. Motor: Super High speed BLDC motor.
3. Motor lifetime: 1000 hours
4. Motor Rotating Speed : 100,000 rpm/min
5. Temperature: 40°C/ 60C /80C/100C/ 120°
6. Wind speed: 17m/s
7. Display: Digital Display screen
8. Negative ions: Built-in negative ions generator
9. Settings: 4 wind speed and 5 temperature settings
10. Cool Button: With cool and hot button switch.
11. Special function: with Fast dry and styling modes, and Clean Brush Functions.

## 5. MK-6103



## Specification:

1. LCD Digital BLDC Brushless Hair Dryer
2. Voltage/Power: 220VAC 50Hz/1600w / 125VAC 60Hz/1600W
3. Motor Speed: High:110000 Medium:90000 low:60000
4. Function: Negative ion 3 millions/m<sup>3</sup>
5. Temp will be displayed on the LCD screen.
6. Noise : 76 dB
7. Temp: 60-90-120°C
8. Size: 19.45cm\*16.3cm\*4.8cm
9. Weight: about 330g
10. Attachment: 2 nozzles and 1 diffuser and 2 barrels

## 6. MK-6100



## Specification:

1. Voltage/Power: 220VAC 50Hz/1600w / 125VAC 60Hz/1600W
2. Motor Speed: High:110000 Medium:90000 low:60000
3. Function: Negative ion
4. Temp will be displayed on the LCD screen.
5. Noise : 76 dB
6. Temp: 40-60-80-100-120°C
7. Size: 21.3\*7\*27.2cm
8. Weight: about 350g
9. Power cable: 2\*1.0mm<sup>2</sup> L=3M
10. Nozzle:1 PCS
11. Certification: ETL/CE/ROHS/CCC

## 7. MK-558



## Specification:

### *Diffuser Hair Dryer*

- Ratings: 220V/800W & 127V1700W
- Max temp 120°C
- Size: D14.6\*H20cm
- Motor: DC motor. • 2 heat & 2 air speed
- With cool air
- 2-meter power cord
- Light weight 480G(without power cord)



**04**

**HAIR STRAIGHTENER**

## 1. MK-128



## Specification:

Hair Straightener

Plate Coating: Titanium/Ceramic

Display: LED

Plate Size: 1 inch/1.5inch

Temperature: 140-240°C/280-470°F

Heater: MCH Heater

Voltage: 110-240V 50/60Hz, 40W

Power cord: 360° Anti-free, 2.5M'

## 2. MK-1126



## Specification:

Hair Straightener

Plate Coating: Ceramic/Titanium

Display: LCD

Plate Size: 1inch/1.75inch(500F)

Temperature: 180-260°C/500°F

Heater: PTC Heater, 1 Minute to highest temperature  
260°C

Voltage: 110-240V 50/60Hz, 40W

Power cord: 360° Anti-free, 2.5M



### 3. MK-101



## Specification:

1. 250°C/480°F high temperature hair straightener
2. Ceramic/Titanium/Nano fiberglass fabric Plate
- 3: Plate Size: 1 inch(90\*25.4mm)
4. MCH Heater, fast heating up in 1 minutes
5. LED display 80-250°C (180°F -480°F )
6. Worldwide voltage 100-240V
7. Power cord: 360° Anti-free, 2.5M
8. Power:45w



**05**

**HAIR CURLER**

## 1. MK-235



## Specification:

3 in 1 Automatic Hair Curler

Barrel Coating: Ceramic barrel

Display: LED

Barrel Size: 22/25/32mm

Temperature: 80~210°C /180°F-410°F

Heater: PTC Heater

Voltage: 220-240V 50/60Hz, 65~75W

Power cord: 360° Anti-free, 1.8M

One hour Auto Shut-off

## 2. MK-259



## Specification:

Hair Curler

Barrel with clip Size: 19mm/ 22mm /25mm/28mm /  
32mm

Barrel Coating: Ceramic / Titanium

Display: LED light display

Temperature: 140 /160 /180 /200 /220 °C

Heater: PTC Heater

Voltage: 110-240V 50/60Hz,39-59W

Power cord: 360° Anti-free, 2.2M

### 3. MK-273



## Specification:

Steam Hair Curler

Barrel Coating: Ceramic barrel

Barrel Size: 25mm

Display: LED

Temperature: 140~220°C /280°F-430°F

Heater: PTC Heater

Voltage: 220-240V 50/60Hz, 65~75W

Power cord: 360° Anti-free, 2.0M

One hour Auto Shut-off

## 4. MK-235



## Specification:

### **Auto Rotating Hair Curler**

1. House of Shell: PET, Matt or glossy oil
2. Heater: MCH heater for fast heating up
3. Temperature: 230 degrees
4. Curling Barrels: 19mm/25mm/32mm
5. Display: LED temperature display
6. Hair Clip for better operation
7. Power Cord 2M\*0.724<sup>2</sup>\*2
8. 360° Swivel Cord
9. UK plug
10. Dual Voltage 110-240V, 50/60Hz
11. Auto shut off in 60 minutes

# 5. MK-245


## Specification:


### Cool Air 2 IN 1 Hair Curler

- 1. Painting: Matte or glossy
- 2. Material: PET
- 3. Display: LED Light
- 4. Product size: 297mm(L) × 46mm(W) × 40MM(H)
- 5. Plate: Ceramic plate
- 6. Voltage: 110~240V, 50/60Hz
- 7. Power: 65W
- 8. Temperature: 140~220 degrees
- 9. Heater: PTC heater
- 10. Power cord: 360° swivel cord, 2.5m
- 11. Plug: EU plug
- 12. Function: Cool Air Function
- 13. CE certificate available



**INNOVATIVE STYLING TOOL: HEATING + COOL AIR**  
Fast styling + long lasting looks + no burn risk



<b>SAFE USE</b>  Do not friendly for personal use Burn risk	<b>SILENT MOTOR</b>  High quality supplier supplied motors	<b>PROTECT HAIR</b>  Long lasting styling, care for hair
--	---	---



**06**

**HAIR STRAIGHTENER BRUSH**


## 1. MK-309



## Specification:

- Electric Hair Straightener Brush
- 1. Plate: Ceramic Coated
- 2. Display: LED
- 3. Temperature: 180°C-200°C-230°C (450°F)
- 4. Heater: PTC
- 5. Voltage: 110-240V 50/60Hz,40W
- 6. Power cord: 360° Anti-free, 1.5M

## 2. MK-313



## Specification:

- 1. Multi function 3 in 1 hair straightener dryer brush
- 2. Function: Ionic, far infrared
- 3. Bristle material: High Heat resistance Nylon Material
- 4. Temperature: 180°C-210°C (360°F-410°F)
- 5. Power Setting: 210W-468W
- 6. Voltage: 110v or 220v 50/60HZ
- 7. Power cord: 360° Anti free, 2.5M
- 8. ETL certificated